[BIOSWOT-Med]: SPASSO Images Analysis

L. Rousselet, A.M. Doglioli

March 10, 2023

Executive Summary

1 Ongoing operations and upcoming stations

SWOT passing time (UTC) over: | 43°N - 5°E Asc | 42.7°N - 4.8°E Asc | |:-------| | 2023-03-10 03:20:14 | 2023-03-10 03:20:14 | | 2023-03-11 03:10:52 | 2023-03-11 03:10:52 | | 2023-03-12 03:01:29 | 2023-03-12 03:01:29 |

Type here.

2 Daily figures analysis

2.1 Altimetry, derived currents

Type here.



2.2 SST analysis

Type here.





2.3 Chlorophyll analysis

Type here.



2.4 Eulerian/Lagrangian analysis Type here.



2.5 Other analysis

Type here.

Acknowledgments

Example:

The altimetry data are the AVISO Mediterranean regional product: http://www.aviso.altimetry.fr/index.php?id The derived currents are processed by SPASSO to derive Eulerian and Lagrangian diagnostics of ocean circulation: OkuboWeiss parameter, particle retention time and advection, Lagrangian Coherent Structures. CLS provided the SST and surface CHL concentration composite products. Sea surface temperature (level 3 and 4, 1 km resolution) and chlorophyll concentration (level 3, 1km resolution, MODISAqua and NPPVIIRS sensors combined (after May 27, 2017) into a new product called MULTI) have been provided by CMEMS Copernicus Marine Environment Monitoring Service (http://marine.copernicus.eu). Another SST product (level 4, composite, 1 km resolution) is provided by the Jet Propulsion Laboratory (JPL), Pasadena, CA.





20230310 Okubo-Weiss parameter







