

# [BIOSWOT-Med]: SPASSO Images Analysis

L. Rousselet, A.M. Doglioli

April 10, 2023

\*\*\*\*\*

## Executive Summary

Type here your executive summary

\*\*\*\*\*

## 1 Ongoing operations and upcoming stations

SWOT passing time (UTC) over:

| 43°N - 5°E Asc | 42.7°N - 4.8°E Asc |

|:-----|:-----|

| 2023-04-10 22:20:15 | 2023-04-10 22:20:15 |

| 2023-04-11 22:10:53 | 2023-04-11 22:10:53 |

| 2023-04-12 22:01:30 | 2023-04-12 22:01:30 |

| 2023-04-13 21:52:08 | 2023-04-13 21:52:08 |


| 2023-04-14 21:42:46 | 2023-04-14 21:42:46 |



Type here.

## 2 Daily figures analysis


### 2.1 Altimetry, derived currents

Type here.







20230404\_CLS\_PHY




## 2.2 SST analysis


Type here.




20230408\_CLS\_SST\_7d




20230409\_Copernicus\_SST\_L4



20230408\_CLS\_SST\_7d





20230409\_Copernicus\_SST\_L4









## 2.3 Chlorophyll analysis



Type here.











## 2.4 Eulerian/Lagrangian analysis

Eulerian diagnostics computed with Copernicus\_PHY velocities:

KE: kinetic energy

OW: Okubo-Weiss parameter

Lagrangian diagnostics computed by seeding Lagrangian particles every 0.02deg and advected for 30 days backward in time with Copernicus\_PHY velocities:


FTLE: finite time Lyapunov exponents (convergent fronts detection)

LLADV: longitude and latitude advection


Retention parameter (based on computing the okubo Weiss parameter along a particle trajectory): Detect trapping structures (colorbar = days water parcels have a positive vorticity)

Timefrombathy: Water age since last contact with isobath XXm (precised in figure title)


More details available at: <https://www.swot-adac.org/resources/swot-adac-products-access/>




20230410 Kinetic energy




20230410 Okubo-Weiss parameter





20230410 Okubo-Weiss parameter





20230410 Finite Time Lyapunov Exponent


















20230410 Retention parameter




20230410 Timefrombathy\_500m







20230410 Latfrombathy\_500m



20230410 Lonfrombathy\_500m










20230410 Tracer advection



## 2.5 Other analysis

Type here.

### Acknowledgments

Example:

The altimetry data are the AVISO Mediterranean regional product: <http://www.aviso.altimetry.fr/index.php?id=1275>. The derived currents are processed by SPASSO to derive Eulerian and Lagrangian diagnostics of ocean circulation: OkuboWeiss parameter, particle retention time and advection, Lagrangian Coherent Structures. CLS provided the SST and surface CHL concentration composite products. Sea surface temperature (level 3 and 4, 1 km resolution) and chlorophyll concentration (level 3, 1km resolution, MODISAqua and NPPVIIRS sensors combined (after May 27, 2017) into a new product called MULTI) have been provided by CMEMS Copernicus Marine Environment Monitoring Service (<http://marine.copernicus.eu>). Another SST product (level 4, composite, 1 km resolution) is provided by the Jet Propulsion Laboratory (JPL), Pasadena, CA. SPASSO is operated with the support of the SIP (Service Informatique de Pythéas) and in particular C. Yohia, J. Lecubin. D. Zevaco and C. Blanpain (Institut Pythéas, Marseille, France).